

	Type	Hits	Search Text <sup>Δ</sup>	DBs
1	BRS	1692	712/233-244.ccls.	USPAT
2	BRS	1	"4295193".PN.	USPAT
3	BRS	1	"4437149".PN.	USPAT
4	BRS	1	"4943908".PN.	USPAT
5	BRS	1	"4991080".PN.	USPAT
6	BRS	1	"5072364".PN.	USPAT
7	BRS	140	\$2valid\$3 adj opcode	USPAT
8	BRS	95	(\$2valid\$3 adj opcode) and branch	USPAT
9	BRS	43	(\$2valid\$3 adj opcode) and branch adj prediction	USPAT
10	BRS	44	(\$2valid\$3 adj opcode) and branch and prediction	USPAT
11	BRS	8	((look-up or access or predict) near2 (every or all or each) near2 address) and (target adj address)	USPAT
12	BRS	3506	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3)	USPAT
13	BRS	59	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address)	USPAT
14	BRS	36	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) near5 (target adj address) and ((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
15	BRS	76	((pre-decod\$3) or (pre adj decod\$3) or predecod\$3) with (target adj address)	USPAT
16	BRS	18	(712/237 712/233 712/239).ccls. and speculat\$3 with (stack buffer) with return	USPAT
17	BRS	1	(branch near2 (buffer or cache)) with ((every or all) adj instruction)	USPAT
18	BRS	0	(branch near2 (buffer or cache))adj all	USPAT
19	BRS	2	(branch near2 (buffer or cache))adj every	USPAT
20	BRS	0	(branch near2 (buffer or cache))near2 all	USPAT

	Type	Hits	Search Text $\Delta$	DBs
21	BRS	3	(branch near4 (buffer or cache)) with ((every or all) adj instruction)	USPAT
22	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
23	BRS	3	(BTAC or BTB or(branch near4 (buffer or cache))) with ((every or all) adj instruction)	USPAT
24	BRS	11	(invalid\$3 adj opcode) and branch adj prediction	USPAT
25	BRS	0	(look-up near2 (every or all or each) near2 address) and (target adj address)	USPAT
26	BRS	0	(look-up near2 every near2 address) and (target adj address)	USPAT
27	BRS	1	5163140.pn.	USPAT
28	BRS	57	5163140.URPN.	USPAT
29	BRS	1	5230068.pn.	USPAT
30	BRS	110	712/235.ccls.	USPAT
31	BRS	101	712/235.ccls. and branch	USPAT
32	BRS	75	712/235.ccls. and branch and target	USPAT
33	BRS	69	712/235.ccls. and branch and target and (cache or buffer)	USPAT
34	BRS	0	712/240.ccls	USPAT
35	BRS	211	712/240.ccls.	USPAT
36	BRS	23	712/240.ccls. and (address adj (subset or portion))	USPAT
37	BRS	2	712/240.ccls. and BTAC	USPAT
38	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
39	BRS	0	always adj access near2((Branch adj target near2 (buffer or cache) or BTB or BTAC))	USPAT
40	BRS	0	always adj calculat\$3 near2 (target adj address)	USPAT

	Type	Hits	Search Text $\Delta$	DBs
41	BRS	0	always adj predict near2 (target adj address)	USPAT
42	BRS	1416	branch near2 (buffer or cache)	USPAT
43	BRS	10	decod\$3 adj after adj branch\$3	USPAT
44	BRS	0	decod\$3 adj after adj speculation	USPAT
45	BRS	0	EACH ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
46	BRS	552	emma.in.	USPAT
47	BRS	29	emma.in. and branch	USPAT
48	BRS	16	emma.in. and branch and target	USPAT
49	BRS	7	emma.in. and branch.ti.	USPAT
50	BRS	259	EVERY ADJ INSTRUCTION AND(TARGET ADJ ADDRESS)	USPAT
51	BRS	2	EVERY ADJ INSTRUCTION WITH(TARGET ADJ ADDRESS)	USPAT
52	BRS	20	instruction near2 length near2 compar\$3	USPAT
53	BRS	544436	integrat\$3 (instruction adj cache) with (BTAC or (branch adj target adj address cache))	USPAT
54	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address adj cache)))	USPAT
55	BRS	174	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address cache)))	USPAT
56	BRS	0	integrat\$3 with ((instruction adj cache) with (BTAC or (branch adj target adj address)))	USPAT
57	BRS	10	meonske	USPAT
58	BRS	278	non-branch	USPAT
59	BRS	247	non-branch and fetch\$3	USPAT
60	BRS	225	non-branch and fetch\$3 and decod\$3	USPAT
61	BRS	91	Popescu.in.	USPAT
62	BRS	0	Popescu.in. and val.in.	USPAT

	Type	Hits	Search Text <sup>Δ</sup>	DBs
63	BRS	3	speculative adj branch adj target adj address	USPAT
64	BRS	0	speculative adj branch adj target adj address adj (buffer or cache)	USPAT
65	BRS	334	speculative and (branch adj target near2 (cache or buffer))	USPAT
66	BRS	739	speculative and (branch near2 target and (cache or buffer))	USPAT
67	BRS	21	speculative and branch adj target adj address adj (buffer or cache)	USPAT
68	BRS	1063	speculative and branch and target and (cache or buffer)	USPAT
69	BRS	92	speculative with (target adj address)	USPAT

	Type	L #	Hits	Search Text	DBs
1	BRS	L2	285	712/208.ccls.	USPA T